



42m

Path

Playing Field

Sch

Path

Track

Mill Lane Nursery

Track

Path

MILL LANE

+ 42m

Mill Side

ASHWELLTHORPE ROAD

FOLGATE

Hall

cws 66

cws 67

PW

Toprov

PO

**County Wildlife Site**  
**(Ref No: 67)**

**Site Name: Wreningham Meadow**

**Parish: Wreningham**

**Grid Reference: TM 160982**

**Area: 1.7 ha**

**Site Description:\***

This site is situated to the south of Wreningham Village, close to the football ground. It consists of neutral well-drained grassland.

The sward is dominated by grasses such as Yorkshire fog (*Holcus lanatus*) and cock's-foot (*Dactylis glomerata*).

\*Based on the 1985 habitat survey (NWT)

**County Wildlife Site**  
(Ref No: 66)

**Site Name: Wreningham Hall Meadow**

**Parish: Wreningham**

**Grid Reference: TM 160982**

**Area: 0.9 ha**

**Site Description:\***

This is largely an area of marshy grassland which contains smaller patches of tall fen and semi-improved wet meadow. A wide drain crosses the site.

The majority of the site has a sward dominated by rush (*Juncus sp.*) and false oat-grass (*Arrhenatherum elatius*) with water mint (*Mentha aquatica*), horsetail (*Equisetum sp.*) and fleabane (*Pulicaria sp.*). Bittersweet (*Solanum dulcamara*) and winged St. John's-wort (*Hypericum tetrapterum*) are also present as are orchids.

The tall fen vegetation forms a sizable stand to the northeast of the site whilst in the northwest corner is an area of disturbed wet meadow with abundant brooklime (*Veronica beccabunga*).

\*Based on the 1985 habitat survey (NWT)

**County Wildlife Site  
(Ref No: 65)**

**Site Name: Flordon Meadow (West)**

**Parish: Wreningham**

**Grid Reference: TM 174980**

**Area: 4.8 ha**

**Site Description:\***

This is predominantly an area of marshy grassland with small patches of well-drained unimproved meadow. A stream borders the site to the east.

The marshy grassland has a rank sward dominated by meadowsweet (*Filipendula ulmaria*) and yorkshire fog (*Holcus lanatus*) whilst well-drained areas are dominated by false oat-grass (*Arrhenatherum elatius*), silverweed (*Potentilla anserina*) and nettle (*Urtica dioica*). Gorse (*Ulex europaeus*) is scattered.

\*Based on the 1985 habitat survey. (NWT)